

PULSE PELLETS

Reg. No. L6190 Act 36 of 1947

Namibian Reg No. N-AR 1217

EFFECTIVE AGAINST WARFARIN RESISTANT RATS AND MICE.

Active Ingredient:

Brodifacoum (anti-coagulant) 0.05g/kg (0.005%)

A HIGHLY ACTIVE ANTI-COAGULANT BAIT FOR THE CONTROL OF THE
NORWAY RAT, ROOF RAT, THE HOUSE MOUSE AND GERBIL

Manufactured & Distributed by:

Synvita CC

Registration Holder:

Lifeguard Sciences (Pty) LTD

Reg. No. 2014/079879/07

PO Box 13221,

Cascades,

3202,

South Africa.

Tel: (033) 346 1920

Batch No: See Container

Date of manufacture: See Container

Members or CropLife South Africa

NETT WEIGHT: 80g / 500g / 3kg / 10kg

UN No.: 3026

Griffon Poison Centre: 082 446 8946

Harmful / Skadelik

*Tel: 033 346 1920/2 • Fax: 033 346 0512 • Email: info@synvita.co.za • Website: www.synvita.co.za
3 Pentrich Road, Pietermaritzburg, 3201 • P.O. Box 13221, Cascades, 3202, Republic of South Africa*

DIRECTIONS FOR USE

USE ONLY AS DIRECTED

For use in the home, on the farm and industrial premises. Pulse Pellets can kill rats and mice after a single feed. Death of rodents will take 4-12 days.

NORWAY AND ROOF RATS:

Place Pulse Pellets in a covered bait station to prevent access by children and domestic animals. Place 50-70g of Pulse Pellets per bait stations along the walls and active rat runs, in rat burrows and in sheltered areas where rats are known to live or feed. Bait points should be inspected and replenished every 7 days until feeding ceases.

MICE:

Place 15-20 g Pulse Pellets per bait station every 2-4m along the wall or runways, in nests and in sheltered areas where mice are known to live and feed. The single feeding action of Pulse Pellets is particularly effective against mice with their small appetites and sporadic feeding behaviour.

GERBIL:

Place 50-75 g Pulse Pellets in protected bait stations 10 m apart or 15-20 g placed into active holes in the colony.

This product contains Bitrex® and warning dyes. Bitrex® is a taste deterrent for humans and other none target species but is not detected by rats and mice.

WARNINGS

- Handle with care.
- Prevent access to bait by children and domestic animals.
- Store under lock and key away from food and foodstuffs.
- Poisonous if swallowed and upon prolonged contact with skin.
- Toxic to fish and wildlife.
- In case of poisoning, contact a doctor and make this label available to them.

PRECAUTIONS

- Avoid contamination of any food, food utensils, feeds and drinking water.
- Set bait stations where these will be inaccessible to children and domestic animals.
- Wash hands and exposed skin after handling.
- Do not eat, drink or smoke while handling the blocks.
- Destroy empty container and do not re-use it for any other purpose.
- Bury dead rodents and any bait unconsumed at end of treatment.

SYMPTOMS OF POISONING

Bleeding from the gums and nose, bleeding under the skin, pallor and haemorrhage into and around elbow and knee joints. Blood in urine and faeces.

FIRST AID TREATMENT

If swallowed induce vomiting by tickling the back of the throat. Repeat until vomit is clear. Take patient IMMEDIATELY to nearest physician.

NOTE TO PHYSICIAN

Intravenous Vitamin K1, 10-20mg depending on prothrombin time. In severe cases small transfusions of fresh blood.

Tel: 033 346 1920/2 • Fax: 033 346 0512 • Email: info@synvita.co.za • Website: www.synvita.co.za
3 Pentrich Road, Pietermaritzburg, 3201 • P.O. Box 13221, Cascades, 3202, Republic of South Africa